Sign in

Web Images Video[New!] News Maps more »

Google site:citeseer.ist.psu.edu java processor schedu Search Advanced Search Preferences

Web Results 1 - 64 of 64 from **citeseer.ist.psu.edu** for **java processor scheduler interpretter translation**. (0.31 seconds)

Citations: The Java HotSpot virtual machine architecture ...
Similarly, the **Java** execution engine, whether it is an **interpreter**, a just in time ... [NL97] It therefore addresses the issue of **processor scheduling**. ...
citeseer.ist.psu.edu/context/487338/0 - 27k - Cached - Similar pages

Citations: Java Bytecode to Native Code Translation: The Caffeine ...
2 **Java interpreter** to code compiled through Caffeine [Hsie96]. ... instruction **scheduling**) This severely limits the impact of optimization. ...
citeseer.ist.psu.edu/context/234388/0 - 39k - Cached - Similar pages

Citations: Objective Caml - Leroy (ResearchIndex)
Examples of such an approach include: **Java** [15] Safetynet [16] and Caml [17]. ... The **translation** itself is implemented by using Camlp4 [10] a pre **processor** ...
citeseer.ist.psu.edu/context/662280/0 - 16k - Cached - Similar pages

Citations: picoJava-I: The Java virtual machine in hardware - O ...
Bytecode Compiler **Interpreter Java Processor** Target **Processor** Kaffe [35] CACAO ... Improving **Java** Performance Using Hardware **Translation** - Radhakrishnan, ...
citeseer.ist.psu.edu/context/982985/0 - 27k - Cached - Similar pages

Citations: Java Virtual Machine - Meyer, Downing (ResearchIndex)
Computer Systems 16 (2000) 739 751 use the terms emulator or **interpreter** and ... Garbage Collection for the Delft **Java Processor** - Berlea (1999) (Correct) ...
citeseer.ist.psu.edu/context/44998/0 - 30k - Cached - Similar pages

Citations: An out-of-order execution technique for runtime binary ...
When an exception is raised, the entire **processor** state is rolled back to the **translation** fragment entry state, and then the **interpreter** interprets ...
citeseer.ist.psu.edu/context/918333/0 - 22k - Cached - Similar pages

Citations: Harissa: a flexible and efficient java environment ...
Similarly, the **Java** execution engine, whether it is an **interpreter**, ... can be done using the Harissa bytecode to C **translator** [8], both alone and together. ...
citeseer.ist.psu.edu/context/66725/0 - 40k - Cached - Similar pages

Citations: PicoJava: A direct execution engine for Java bytecode ...
Neither the optimizer nor the **interpreter** will perform inter block optimization. ... Allowing for ILP in an Embedded **Java Processor** - Radhakrishnan, Talla, ...
citeseer.ist.psu.edu/context/977118/0 - 28k - Cached - Similar pages

Citations: picoJava-I: The java virtual machine in hardware - O ...
The picoJava **processor** [11] employs a folding optimization in which ... Other modes of execution for **Java** include compilers that **translate** the bytecodes to ...
citeseer.ist.psu.edu/context/42441/0 - 19k - Cached - Similar pages

Performance [CiteSeer; NEC Research Institute; Steve Lawrence ...
Traditional **processor scheduling** mechanisms in operating systems are fairly ... MPEG Decoding User Interfaces **Java Interpreter** Web Browser br run-time to ...
citeseer.ist.psu.edu/Programming/Java/Performance/ - 119k - Cached - Similar pages

Citations: The JAVA HotSpot Performance Engine Architecture ...
Besides the **interpreter**, the other approaches to running **Java** are a hardware ... the **interpreter** s fetch engine [7] unrelated to program or **processor** ...
citeseer.ist.psu.edu/context/933792/0 - 33k - Cached - Similar pages

Citations: Monitors and Exceptions: How to implement Java ...
On-Demand **Translation** of **Java** Exception Handlers.. - Lee, Yang. ... .itself is achieved by not invoking the thread **scheduler** during lock manipulation. ...
citeseer.ist.psu.edu/context/462681/217684 - 36k - Cached - Similar pages

Parallelism [CiteSeer; NEC Research Institute; Steve Lawrence ...
In this paper, **processor scheduling** policies that "save" processors are introduced ... PROMELA **INterpreter**) verification package. **Translation** methods from . ...
citeseer.ist.psu.edu/SoftwareEngineering/Parallelism/date.html - 122k - Cached - Similar pages

Citations: DAISY: Dynamic compilation for 100% architectural ...
Some implementations even bypass the **Interpreter** completely and **translate** to

native code prior to executing every unit [Conte and Sathaye 1995; ...
citeseer.ist.psu.edu/context/272591/0 - 22k - Cached - Similar pages

Citations: Efficient and Language-Independent Mobile Programs ...
Omniware [2], Safe TCL, and Java allow programs to download code from a ... and the subsequent **translation** of this code to that of a modern **processor** is ...
citeseer.ist.psu.edu/context/22803/0 - 43k - Cached - Similar pages

Citations: Low Level Security in Java - Yellin (ResearchIndex)
The **Java** source code is compiled into an intermediate byte code which is run inside the **Java Interpreter**. [22, 34, 9] Since **Java** applications are ...
citeseer.ist.psu.edu/context/22830/0 - 36k - Cached - Similar pages

Citations: Java Threads - Oaks, Wong (ResearchIndex)
Virtual Machine (the **Java Interpreter** and run time system [11] **Java** supports ... The **scheduling** scheme for **Java** threads is a preemptive, priority based and ...
citeseer.ist.psu.edu/context/48841/0 - 28k - Cached - Similar pages

Citations: Communications of ACM - Bell (ResearchIndex)
The threaded code is cached, so that the price of **translation** for most instructions is paid ... Implementing an Efficient **Java Interpreter** - Gregg, Ertl, ...
citeseer.ist.psu.edu/context/93204/0 - 46k - Cached - Similar pages

Performance [CiteSeer; NEC Research Institute; Steve Lawrence ...
Pizza is defined by **translation**... / Pizza into **Java** Translating theory into ... Traditional **processor scheduling** mechanisms in operating systems are fairly ...
citeseer.ist.psu.edu/Programming/Java/Performance/expected.html - 120k - Cached - Similar pages

Citations: The SPARC architecture manual : version - Weaver ...
1 Simulator Machine Model The **processor** model implements a dynamically scheduled 32 bit ... On-Demand **Translation** of **Java** Exception Handlers.. - Lee, Yang. ...
citeseer.ist.psu.edu/context/18278/0 - 32k - Cached - Similar pages

Citations: Dynamic rescheduling: A technique for object code ...
The time to produce the **schedule** has, for instance, extreme importance when ... an **interpreter** could be used to **translate** between the architectures at run ...
citeseer.ist.psu.edu/context/292026/45687 - 30k - Cached - Similar pages

Citations: Meta-level architecture for extendable C - Ishikawa ...
The MPC compiler consists of a front end **processor** and a back end **processor**. ... During the 1994 fiscal year, we investigated a new job **scheduling** technique ...
citeseer.ist.psu.edu/context/181981/11949 - 26k - Cached - Similar pages

CISC [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Improving **Java** Performance Using Hardware **Translation** - Radhakrishnan, Bhargava, ... Asymmetric Real Time **Scheduling** on a Multimedia **Processor** - Forin, ...
citeseer.ist.psu.edu/Hardware/CISC/date.html - 111k - Cached - Similar pages

Citations: Automated proofs of object code for a widely used ...
Formal Models of **Java** at the JVM Level A Survey from the . ... Microcode for the Motorola CAP **processor** is proved to implement several algorithms useful for ...
citeseer.ist.psu.edu/context/468604/362176 - 37k - Cached - Similar pages

CISC [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Static binary **translation** for CISC to RISC migration. ... Asymmetric Real Time **Scheduling** on a Multimedia **Processor** - Forin, Raffman, Van Aken (1998) ...
citeseer.ist.psu.edu/Hardware/CISC/ - 113k - Cached - Similar pages

Citations: Power issues related to branch prediction - Parikh ...
By using multithreading techniques, the bytecode **interpreter** can exploit ... by hardware support for **Java translation**. ffl A paper studying power issues ...
citeseer.ist.psu.edu/context/1828710/530912 - 25k - Cached - Similar pages

Citations: Flick: A Flexible, Optimizing IDL Compiler - Eide, Frei ...
Conversely, stubs could simply pass parameter data to a shared **interpreter**, such as a DSI Dll engine [31] In this case, however, system performance would ...
citeseer.ist.psu.edu/context/10291/190338 - 40k - Cached - Similar pages

Java [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
originally written for Jinni -our **Java** based **interpreter** -and actually br ... a br A binding that allows to access the **Java scheduler** from Maple and ...
citeseer.ist.psu.edu/Programming/Java/date.html - 124k - Cached - Similar pages

Citations: Improving the Performance of Speculatively Parallel ...
CMP systems integrate multiple **processor** cores onto a single chip. ... 45] found that compiler **scheduling** to increase distances between inter thread ...

citeseer.ist.psu.edu/context/1235064/96649 - 25k - Cached - Similar pages

Citations: Designing and Implementing Choices : An Object-Oriented ...
For instance, in Choices [102, 37] the kernel contains a **Java interpreter** ....aim at providing a customizable and adaptable execution of concurrent ...
citeseer.ist.psu.edu/context/39461/0 - 38k - Cached - Similar pages

Citations: Efficient Implementation of the Smalltalk-80 System ...
Too much time spent on the **translation** and related processing makes the program . ... [5] the CRISP microprocessor [6] and a Smalltalk 80 **interpreter** [7]. ...
citeseer.ist.psu.edu/context/123276/0 - 30k - Cached - Similar pages

Distributed [CiteSeer; NEC Research Institute; Steve Lawrence ...
In this paper, we present further results in **processor**-cache affinity **scheduling** of parallel network protocol processing, in a setting in which protocol ...
citeseer.ist.psu.edu/OperatingSystems/Distributed/hubs.html - 135k - Cached - Similar pages

CISC [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Static binary **translation** for CISC to RISC migration. Uses a fallback br Uses A Fallback **Interpreter**. Tns Cisc Tns r Vest Mx Digital ...
citeseer.ist.psu.edu/Hardware/CISC/hubs.html - 117k - Cached - Similar pages

Reducing Sweep Time for a Nearly Empty Heap - Chung, Moon, Ebcio ...
0.3: Parallelizing Nonnumerical Code with Selective **Scheduling** and . ... 3 demand **translation** of **Java** exception handlers in the LaTTe J.. - Lee, Yang et al. ...
citeseer.ist.psu.edu/chung00reducing.html - 26k - Cached - Similar pages

Citations: The SR Programming Language: Concurrency in Practice ...
Our problem, then, was to develop an **interpreter** for SR, ... Our approach is to extend **Java** with the concurrency model provided by the SR concurrent ...
citeseer.ist.psu.edu/context/165493/0 - 41k - Cached - Similar pages

Citations: - Inc, Ave, USA, Language, http, com, TDEDOCS, html ...
On current systems protection is achieved by using Software Fault Isolation [22] or by running an **interpreter** for a safe language (TCL [12] 13] **Java**, ...
citeseer.ist.psu.edu/context/159993/156643 - 40k - Cached - Similar pages

Compiler Design [CiteSeer; NEC Research Institute; Steve Lawrence ...
The **translation**... / Genericity to the **Java** TM Programming Language Gilad Bracha Sun br ... environment raises difficult br **interpreter** and a fast compiler. ...
citeseer.ist.psu.edu/Programming/CompilerDesign/date.html - 137k - Cached - Similar pages

Compiler Design [CiteSeer; NEC Research Institute; Steve Lawrence ...
The **translation**... / Genericity to the **Java** TM Programming Language Gilad ... of the Python objectoriented programming language **interpreter** python br a ...
citeseer.ist.psu.edu/Programming/CompilerDesign/expected.html - 128k - Cached - Similar pages

Citations: personal communication - Stephens (ResearchIndex)
However, measurements taken on a dual **processor** Intel x86 machine (with that ... to the Jalape no **scheduler**, allowing another thread to be dispatched. ...
citeseer.ist.psu.edu/context/168822/0 - 60k - Cached - Similar pages

Compiler Optimization [CiteSeer; NEC Research Institute; Steve ...
AC Compiler for a **Processor** With a br RFU This thesis describes aC compiler for Chimaera which is a **Scheduling** Straight-Line Code Using Reinforcement ...
citeseer.ist.psu.edu/Programming/CompilerOptimization/date.html - 135k - Cached - Similar pages

Java [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
On every pointer write from the **processor**, reference-counting ... / like LISP SMALLTALK and **JAVA** has been designed built tested br ML Lisp Haskell and **Java** ...
citeseer.ist.psu.edu/Programming/**Java**/hubs.html - 126k - Cached - Similar pages

Citations: An Analysis of Dynamic Branch Prediction Schemes on ...
Because the **translator** is implemented in software, its policies can be ... what other researchers have found in single threaded **processor** studies, namely, ...
citeseer.ist.psu.edu/context/332291/21656 - 44k - Cached - Similar pages

Citations: USC: A Universal Stub Compiler - O'Malley, Proebsting ...
FlexiNet [8] makes use of **Java** reflection to construct client side stubs using **Java** ... .the protocol **interpreter** remaining in the **processor** cache. ...
citeseer.ist.psu.edu/context/10305/192474 - 43k - Cached - Similar pages

Programming [CiteSeer; NEC Research Institute; Steve Lawrence ...
This paper describes a **translator** called **Java** PathFinder from **Java** to Promela, ...

We present a novel pre-runtime **scheduling** method for uniprocessors which ...
citeseer.ist.psu.edu/Programming/date.html - 135k - Cached - Similar pages

LISP [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
April 1960 1 / A programming system called LISP for LISt **Processor** has been br In ...
This paper describes a **translator** called **Java** PathFinder from **Java** to ...
citeseer.ist.psu.edu/Programming/LISP/ - 128k - Cached - Similar pages

Programming [CiteSeer; NEC Research Institute; Steve Lawrence ...
Logic programs based on br **interpreter** for this logic programming language ... The **translation**... / to the **Java** TM Programming Language Gilad Bracha Sun br ...
citeseer.ist.psu.edu/Programming/ - 134k - Cached - Similar pages

Programming [CiteSeer; NEC Research Institute; Steve Lawrence ...
Logic programs based on br **interpreter** for this logic programming language ... This paper describes a **translator** called **Java** PathFinder from **Java** to Promela ...
citeseer.ist.psu.edu/Programming/expected.html - 135k - Cached - Similar pages

Compiler Design [CiteSeer; NEC Research Institute; Steve Lawrence ...
6245.0 **Scheduling** And Code Generation For Parallel Architectures - Yang (1993) ...
This proposal br which explore the **interpreter** compiler integration for ...
citeseer.ist.psu.edu/Programming/CompilerDesign/hubs.html - 139k -
Cached - Similar pages

Citations: An architecture for integrating concurrency control ...
A CCL **translator** and run time **interpreter** are designed, showing how the ... Its frontend subcomponent is the **scheduler**, which receives requests for service ...
citeseer.ist.psu.edu/context/14698/475598 - 46k - Cached - Similar pages

Citations: Available from http://www - AGD-Library, Graph ...
This can be compared to the operator instanceof of the **Java** programming language .... and TMO) or using less sophisticated **scheduling** theory (eg... ...
citeseer.ist.psu.edu/context/68479/0 - 39k - Cached - Similar pages

Citations: Target Prediction for Indirect Jumps - Chang, Hao, Patt ...
They include branch alignment [5] trace **scheduling** [12] and block structured ISAs [15] We will ... Prediction accuracies of 65 87 (in **interpreter** mode) ....
citeseer.ist.psu.edu/context/125553/47291 - 57k - Cached - Similar pages

LISP [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
This paper describes a **translator** called **Java** PathFinder from **Java** to Promela, ...
scanner processer C xlisp Lisp **interpreter** C br the ACMSIGPLAN ...
citeseer.ist.psu.edu/Programming/LISP/expected.html - 126k - Cached - Similar pages

Compiler Optimization [CiteSeer; NEC Research Institute; Steve ...
Keywords parallelizing compiler **scheduling** constraint logic br approaches. ... it easier for later stages of the compiler to optimize **processor** pipelines. ...
citeseer.ist.psu.edu/Programming/CompilerOptimization/hubs.html - 136k -
Cached - Similar pages

Theory [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
realm of hard real-time **scheduling** theory The high disk latencies br area of hard ...
PROMELA **INterpreter**) verification package. **Translation** methods from . ...
citeseer.ist.psu.edu/Theory/date.html - 138k - Cached - Similar pages

LISP [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
an **interpreter** for a subset of Lisp which runs at compile time br for multi-level ... This paper describes a **translator** called **Java** PathFinder from **Java** to ...
citeseer.ist.psu.edu/Programming/LISP/date.html - 122k - Cached - Similar pages

Citations: Active Disks - Acharya, Uysal, Saltz (ResearchIndex)
... support and an ability to change firmware to accommodate media **scheduling**, ... issues using a high level language rather than on **interpreter** efficiency. ...
citeseer.ist.psu.edu/context/220787/8233 - 43k - Cached - Similar pages

Performance [CiteSeer; NEC Research Institute; Steve Lawrence ...
scanner processer C xlisp Lisp **interpreter** C br prediction to improve program performance ... 36 Sparcle: An Evolutionary **Processor** Design for Large-Scale. ...
citeseer.ist.psu.edu/Programming/LISP/Performance/ - 125k - Cached - Similar pages

Citations: ACM transactions of Programming Languages and Systems ...
Compiler to **Interpreter**: Experiences with a Distributed. ... JR: Flexible Distributed Programming in an Extended **Java** - Keen, Ge, Maris, Olsson (2001) ...
citeseer.ist.psu.edu/context/127840/0 - 64k - Cached - Similar pages

Semantics [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
This paper describes a **translator** called **Java** PathFinder from **Java** to Promela, ... Its merits with br specialize an **Interpreter** for a programming language L ...
citeseer.ist.psu.edu/Programming/Semantics/date.html - 134k -

Cached - Similar pages

Agents [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Scheduling is the problem of allocating resources to alternative possible ... 127.2 An Incremental **Interpreter** for High-Level Programs with Sensing - De ...
citeseer.ist.psu.edu/Agents/expected.html - 118k - Cached - Similar pages

Agents [CiteSeer; NEC Research Institute; Steve Lawrence, Kurt ...
Scheduling is the problem of allocating resources to alternative possible uses over ... Software deployment **Java** mobile agents configuration management ...
citeseer.ist.psu.edu/WorldWideWeb/Agents/expected.html - 118k -
Cached - Similar pages

Citations: Flagship: A Parallel Architecture for Declarative ...
Job **Scheduling** in Multiprogrammed Parallel Systems - Feitelson (1997) (15 ... Sometimes the use of an **interpreter** causes uncertainty about realistic copying ...
citeseer.ist.psu.edu/context/121415/0 - 45k - Cached - Similar pages

Formal Languages [CiteSeer; NEC Research Institute; Steve Lawrence ...
Java instead of using other formal languages eg UML's object constraint ... Combining Semantics with Non-Standard **Interpreter** Hierarchies - Abramov, ...
citeseer.ist.psu.edu/Theory/FormalLanguages/date.html - 112k -
Cached - Similar pages

Citations: Decentralizing Control and Intelligence in Network ...
Schemes for **Scheduling** Control Messages by Hierarchical. ... mostly due to the wide acceptance of the **Java** environment with its inherent support for code ...
citeseer.ist.psu.edu/context/81655/160208 - 31k - Cached - Similar pages

Free! Get the Google Toolbar. Download Now - About Toolbar

site:citeseer.ist.psu.edu java proces: Search

Search within results | Language Tools | Search Tips | Dissatisfied? Help us improve

Google Home - Advertising Programs - Business Solutions - About Google

©2006 Google